

## Medications to Avoid Before and After Surgery

If you are taking any medications on this list, they should be discontinued 10-14 days prior to surgery and only Tylenol should be taken for pain. Any other medications you are currently taking should be cleared by Dr. Goodman prior to surgery.

### Asprin Medications to Avoid

4-Way Cold Tabs	5-Aminosalicylic Acid	Acetilsalicylic Acid
Adprin-B products	Alka-Seltzer products	Amigesic
Anacin products	Anexsia w/Codine	Argesic-SA
Arthra-G	Arthriten products	Arthritis Foundation products
Arthritis Pain Formula	Arthritis Strength BC Powder	Arthropan
ASA	Asacol	Ascriptin products
Aspergum	Asprimox products	Axotal
Azdone	Azulfidine products	B-A-C
Backache Maximum Strength Relief	Bayer products	BC powder
Bismatrol products	Buffered Asprin	Bufferin products
Buffetts 11	Buffex	Butal/ASA/Caff
Butalbital Compound Cama	Arthritis Pain Reliever	Carisoprodol Compound
Cheracol	Choline Magnesium Trisalicylate	Choline Salicylate
Cope	Coricidin	Cortisone Medications
Damason-P	Darvon Compound-65	Darvon/ASA
Dipentum	Disalcid	Doan's products
Dolobid	Dristan	Duragesic
Easprin	Ecotrin products	Empirin products
Equagesic	Exedrin products	Fiorgen PF
Fiorinal products	Gelpirin	Genprin
Gensan	Goody's Extra Strength Headache Powders	Halfprin products
Isollyl Improved	Kaodene	Lanorinal
Lortab ASA	Magan	Magnaprin products
Magnesium Salicylate	Magsal	Marnal
Marthritic	Meprobamate	Mesalamine
Methocarbamol	Micrainin	Mobidin

### Medications to Avoid Before and After Surgery

Mobigesic	Momentum	Mono-Gesic
Night-Time Effervescent Cold	Norgesic products	Norwich products

**Olsalazine**  
**P-A-C**  
**Panasal**  
**Percodan products**  
**Propoxyphene Compound**  
**Products**  
**Roxeprin**  
**Salicylate products**  
**Scot-Tussin Original 5-**  
**Action**  
**Sodium Salicylate**  
**St. Joseph Aspirin**  
**Suprax**  
**Triaminicin**  
**Tussanil DH**  
**Vanquish**  
**Zorprin**

**Orphengesic products**  
**Pabalate products**  
**Pentasa**  
**Phenaphen/Codeine #3**  
**Robaxisal**

**Oxycodone**  
**Pain Reliever Tabs**  
**Pepto-Bismal**  
**Pink Bismuth**  
**Rowasa**

**Saleto products**  
**Salsalate**  
**Sine-off**

**Salflex**  
**Salsitab**  
**Sinutab**

**Sodol Compound**  
**Sulfasalazine**  
**Synalgos-DC**  
**Tricosal**  
**Tussirex products**  
**Wesprin**

**Soma Compound**  
**Supac**  
**Talwin**  
**Trilisate**  
**Ursinus-Inlay**  
**Willow Bark**

**products**

### **Ibuprofen Medications to Avoid**

**Actron**  
**Aleve**  
**Cataflam**  
**Diclofenac**  
**Etodolac**  
**Flurbiprofen**  
**IBU**  
**Ibuprohm**  
**Indomethacin products**  
**Lodine**  
**Mefenamic Acid**  
**Motrin products**  
**Naprelan**  
**Naproxen**  
**Orudis products**  
**Piroxicam**

**Acular (ophthalmic)**  
**Anaprox products**  
**Clinoril**  
**Dimetapp Sinus**  
**Feldene**  
**Genpril**  
**Ibuproin**  
**Indochron E-R**  
**Ketoprofen**  
**Meclofenamate**  
**Menadol**  
**Nabumetone**  
**Naprosyn products**  
**Nuprin**  
**Oruvail**  
**Ponstel**

**Advil products**  
**Ansaid**  
**Daypro**  
**Dristan Sinus**  
**Fenoprofen**  
**Haltran**  
**Ibuprofen**  
**Indocin products**  
**Ketorolac**  
**Meclomen**  
**Midol products**  
**Nalfon products**  
**Naprox X**  
**Ocufen(ophthalmic)**  
**Oxaprozin**  
**Profenal**

### **Medications to Avoid Before and After Surgery**

**Relafin**  
**Sulindac**  
**Tolmetin**

**Rhinocaps**  
**Suprofen**  
**Toradol**

**Sine-Aid products**  
**Tolectin products**  
**Voltaren**

### **Other Medications to Avoid**

**4-Way w/Codeine**

**A-A Compound**

**A.C.A**

**Trandate**

<b>Accutrim</b>	<b>Actifed</b>	<b>Anexsia</b>
<b>Anisindione</b>	<b>Anturane</b>	<b>Arthritis Bufferin</b>
<b>BC Tablets</b>	<b>Childrens Advil</b>	<b>Clinoril C</b>
<b>Contac</b>	<b>Coumadin</b>	<b>Dalteparin injection</b>
<b>Dicumerol</b>	<b>Dipyridamole</b>	<b>Doxycycline</b>
<b>Emagrin</b>	<b>Enoxaparin injection</b>	<b>Flagyl</b>
<b>Fragmin injection</b>	<b>Furadantin</b>	<b>Garlic</b>
<b>Heparin</b>	<b>Hydrocortisone</b>	<b>Isollyl</b>
<b>Lovenox injection</b>	<b>Macrochantin</b>	<b>Mellaril</b>
<b>Miradon</b>	<b>Opasal</b>	<b>Pan-PAC</b>
<b>Pentoxifylline</b>	<b>Persantine</b>	<b>Phenylpropanolamine</b>
<b>Prednisone</b>	<b>Protamine</b>	<b>Pyrroxate</b>
<b>Su-Tuss</b>	<b>Salatin</b>	<b>Sinex</b>
<b>Sofarin</b>	<b>Soltice</b>	<b>Sparine</b>
<b>Stelazine</b>	<b>Slufinpyrazone</b>	<b>Tenuate</b>
<b>Teuate Dospan</b>	<b>Thorazine</b>	<b>Ticlid</b>
<b>Ticlopidine</b>	<b>Trental</b>	<b>Ursinus</b>
<b>Vibramycin</b>	<b>Vitamine E</b>	<b>Warfarin</b>

### **Tricyclic Antidepressants Medications to Avoid**

<b>Adapin</b>	<b>Amitriptyline</b>	<b>Amoxapine</b>
<b>Anafranil</b>	<b>Asendin</b>	<b>Aventyl</b>
<b>Clomipramine</b>	<b>Desipramine</b>	<b>Doxepin</b>
<b>Elavil</b>	<b>Endep</b>	<b>Etrafon products</b>
<b>Inipramine</b>	<b>Janimine</b>	<b>Limbitrol products</b>
<b>Ludiomil</b>	<b>Maprotiline</b>	<b>Norpramin</b>
<b>Nortriptyline</b>	<b>Pamelor</b>	<b>Pertofrane</b>
<b>Protriptyline</b>	<b>Sinequan</b>	<b>Surmontil</b>
<b>Tofranil</b>	<b>Triavil</b>	<b>Trimipramine</b>
<b>Vivactil</b>		

### **Herbal Medications to Avoid**

<b>Ginkgo Biloba</b>	<b>Ginseng</b>	<b>St. John's Wort</b>
<b>Omega 3 Fatty Acids</b>		