

Medications to Avoid Before and After Surgery

If you are taking any medications on this list, they should be discontinued 10-14 days prior to surgery and only Tylenol should be taken for pain. Any other medications you are currently taking should be cleared by Dr. Goodman prior to surgery.

Asprin Medications to Avoid

4-Way Cold Tabs	5-Aminosalicylic Acid	Acetilsalicylic Acid
Adprin-B products	Alka-Seltzer products	Amigesic
Anacin products	Anexsia w/Codine	Argesic-SA
Arthra-G	Arthriten products	Arthritis Foundation products
Arthritis Pain Formula	Arthritis Strength BC Powder	Arthropan
ASA	Asacol	Ascriptin products
Aspergum	Asprimox products	Axotal
Azdone	Azulfidine products	B-A-C
Backache Maximum Strength Relief	Bayer products	BC powder
Bismatrol products	Buffered Asprin	Bufferin products
Buffetts 11	Buffex	Butal/ASA/Caff
Butalbital Compound Cama	Arthritis Pain Reliever	Carisoprodol Compound
Cheracol	Choline Magnesium Trisalicylate	Choline Salicylate
Cope	Coricidin	Cortisone Medications
Damason-P	Darvon Compound-65	Darvon/ASA
Dipentum	Disalcid	Doan's products
Dolobid	Dristan	Duragesic
Easprin	Ecotrin products	Empirin products
Equagesic	Exedrin products	Fiorgen PF
Fiorinal products	Gelpirin	Genprin
Gensan	Goody's Extra Strength Headache Powders	Halfprin products
Isollyl Improved	Kaodene	Lanorinal
Lortab ASA	Magan	Magnaprin products
Magnesium Salicylate	Magsal	Marnal
Marthritic	Meprobamate	Mesalamine
Methocarbamol	Micrainin	Mobidin

Medications to Avoid Before and After Surgery

Mobigesic	Momentum	Mono-Gesic
Night-Time Effervescent Cold	Norgesic products	Norwich products

**Olsalazine
P-A-C
Panasal
Percodan products
Propoxyphene Compound
Products
Roxeprin
Salicylate products
Scot-Tussin Original 5-
Action
Sodium Salicylate
St. Joseph Aspirin
Suprax
Triaminicin
Tussanil DH
Vanquish
Zorprin**

**Orphengesic products
Pabalate products
Pentasa
Phenaphen/Codeine #3
Robaxisal**

**Oxycodone
Pain Reliever Tabs
Pepto-Bismal
Pink Bismuth
Rowasa**

**Saletto products
Salsalate
Sine-off**

**Salflex
Salsitab
Sinutab**

**Sodol Compound
Sulfasalazine
Synalgos-DC
Tricosal
Tussirex products
Wesprin**

**Soma Compound
Supac
Talwin
Trilisate
Ursinus-Inlay
Willow Bark**

products

Ibuprofen Medications to Avoid

**Actron
Aleve
Cataflam
Diclofenac
Etodolac
Flurbiprofen
IBU
Ibuprohm
Indomethacin products
Lodine
Mefenamic Acid
Motrin products
Naprelan
Naproxen
Orudis products
Piroxicam**

**Acular (ophthalmic)
Anaprox products
Clinoril
Dimetapp Sinus
Feldene
Genpril
Ibuproin
Indochron E-R
Ketoprofen
Meclofenamate
Menadol
Nabumetone
Naprosyn products
Nuprin
Oruvail
Ponstel**

**Advil products
Ansaid
Daypro
Dristan Sinus
Fenoprofen
Haltran
Ibuprofen
Indocin products
Ketorolac
Meclomen
Midol products
Nalfon products
Naprox X
Ocufen(ophthalmic)
Oxaprozin
Profenal**

Medications to Avoid Before and After Surgery

**Relafin
Sulindac
Tolmetin**

**Rhinocaps
Suprofen
Toradol**

**Sine-Aid products
Tolectin products
Voltaren**

Other Medications to Avoid

4-Way w/Codeine

A-A Compound

A.C.A

Trandate

Accutrim	Actifed	Anexsia
Anisindione	Anturane	Arthritis Bufferin
BC Tablets	Childrens Advil	Clinoril C
Contac	Coumadin	Dalteparin injection
Dicumerol	Dipyridamole	Doxycycline
Emagrin	Enoxaparin injection	Flagyl
Fragmin injection	Furadantin	Garlic
Heparin	Hydrocortisone	Isollyl
Lovenox injection	Macrochantin	Mellaril
Miradon	Opasal	Pan-PAC
Pentoxifylline	Persantine	Phenylpropanolamine
Prednisone	Protamine	Pyrroxate
Su-Tuss	Salatin	Sinex
Sofarin	Soltice	Sparine
Stelazine	Slufinpyrazone	Tenuate
Teuate Dospan	Thorazine	Ticlid
Ticlopidine	Trental	Ursinus
Vibramycin	Vitamine E	Warfarin

Tricyclic Antidepressants Medications to Avoid

Adapin	Amitriptyline	Amoxapine
Anafranil	Asendin	Aventyl
Clomipramine	Desipramine	Doxepin
Elavil	Endep	Etrafon products
Inipramine	Janimine	Limbitrol products
Ludiomil	Maprotiline	Norpramin
Nortriptyline	Pamelor	Pertofrane
Protriptyline	Sinequan	Surmontil
Tofranil	Triavil	Trimipramine
Vivactil		

Herbal Medications to Avoid

Ginkgo Biloba	Ginseng	St. John's Wort
Omega 3 Fatty Acids		